

Ergocycle - Cardio 400 series

Structure

- Very rigid, mechanical welded frame
- Electromagnetic braking system using Eddy current
- Developed power from 5 to 800 W (0 to 150 tr/mn)
- Transmission by flexible, noiseless belts with automatic strain
- Saddle with adjustable height
- Ergonomic handlebar
- Briefcase
- Handles and moving wheels
- Easy of leg access
- Power supply 230 V / 50 Hz 16 A (2P+T) consumption 1 A
- Space required (cm) : 135x74x135
- Weight (kg) : 65
- Maximum user weight (kg): 130

Electronics

- Display in 5 languages
- Colour "Graphic" screen : LCD display
- Display : Developed power (Watts), Braking indications (Watts), Speed (tr/mn), Distance (km), Time, Heartbeat (bpm), Consumed calories

Programming system

- 30 free programmes
- 12 pre-set programmes
- Programme with constant heartbeats
- Programme with constant power
- Possible use in manual mode
- "Polar" compatible heartbeat sensor



Models	Cardio 410	Cardio 430	Cardio 460	Cardio 470
Frame	Fixed	Fixed	Fixed	Suspended
Ergonomic fixed handlebar	Yes	-	-	-
Handlebar with adjustable rotation	-	Yes	Yes	Yes
Handlebar with adjustable height	-	-	Yes	Yes
Control board with adjustable rotation	-	-	Yes	Yes
Horizontal and vertical assisted saddle adjustment	-	Yes	Yes	Yes

Options

- Wide colour choice (180 shades)
- Connection to "Tm software 9600"
- Thoracic belt
- Maximum user weight (kg) : 200 (for Cardio 430 and Cardio 460) (Ref. PU MAX 200 kg)
- Adjustable pedals' arms in length

Standards

- Machine in compliance with EC Standards
- Directive 93/42/CEE (concerning the medical devices)
- Standards : EN 60204/1 - EN 60601/1 - EN 61000/6/3 - EN 61000/6/1

Guarantee

- 5 years guarantee*

Commercial department

RN 6, route de St Bris • BP4 • F - 89290 Champs-sur-Yonne • Phone + 33 (0) 386 53 83 81 • Fax + 33 (0) 386 53 80 42 • contact@techmed-tm.com • www.techmed-tm.com